

Message

---

**From:** O'Connor, Darcy [oconnor.darcy@epa.gov]  
**Sent:** 2/5/2018 7:00:54 PM  
**To:** Benevento, Douglas [benevento.douglas@epa.gov]  
**Subject:** FW: Wyoming SRF  
**Attachments:** 2018 newsletter WY DRAFT 1.docx; WY5600002 1-31-2018\_ToDo.pdf

Doug – so you can get a better idea of what we are sending out to our DI drinking water systems, I'm attaching a draft of the newsletter (still being proofed and finalizing schedules – final draft will be done by the end of the week), and an example letter that goes out to the facilities.

Let me know if you have questions or would like more info.

Thanks!  
D

---

**From:** Benevento, Douglas  
**Sent:** Sunday, February 4, 2018 12:34 PM  
**To:** O'Connor, Darcy <oconnor.darcy@epa.gov>  
**Cc:** Thomas, Deb <thomas.debrah@epa.gov>  
**Subject:** RE: Wyoming SRF

Can we also talk about the 2018 monitoring reporting requirements we recently sent out. I have no concerns I just want to better understand what we're sending out.

---

**From:** Benevento, Douglas  
**Sent:** Sunday, February 4, 2018 12:23 PM  
**To:** O'Connor, Darcy <oconnor.darcy@epa.gov>  
**Subject:** Wyoming SRF

No need to prioritize but when we meet, this week I believe, can we discuss the entry into the weekly regarding the Wyoming SRF. I want to better understand the basis for Wyoming's position and our response and the impact on DW systems in the state. Thanks